

COMMUNICATIONS RESOURCE AVAILABILITY WORKSHEET						Frequency Band			Description		
						HF (3 - 30 MHz)			Winmor		
	Channel Configuration	Channel Name/Trunked Radio System Talkgroup	Eligible Users	RX Freq	N or W	RX Tone/NAC	TX Freq	N or W	Tx Tone/NAC	Mode A, D or M	Remarks
1	Simplex	Gateway	Amateur	3.5690	N/A	N/A	3.5690	N/A	N/A	A	Lower end of range
2	Simplex	Gateway	Amateur	3.5979	N/A	N/A	3.5979	N/A	N/A	A	Upper end of range
3	Simplex	Peer-to-Peer	Amateur	3.5710	N/A	N/A	3.5710	N/A	N/A	A	Primary
4	Simplex	Peer-to-Peer	Amateur	3.5810	N/A	N/A	3.5810	N/A	N/A	A	Secondary
5	Simplex	Gateway	Amateur	7.0650	N/A	N/A	7.0650	N/A	N/A	A	Lower end of range
6	Simplex	Gateway	Amateur	7.1170	N/A	N/A	7.1170	N/A	N/A	A	Upper end of range
7	Simplex	Peer-to-Peer	Amateur	7.0830	N/A	N/A	7.0830	N/A	N/A	A	Primary
8	Simplex	Peer-to-Peer	Amateur	7.0920	N/A	N/A	7.0920	N/A	N/A	A	Secondary
9	Simplex	Gateway	Amateur	10.1325	N/A	N/A	10.1325	N/A	N/A	A	Lower end of range
10	Simplex	Gateway	Amateur	10.1490	N/A	N/A	10.1490	N/A	N/A	A	Upper end of range
11	Simplex	Peer-to-Peer	Amateur	10.1375	N/A	N/A	10.1375	N/A	N/A	A	Primary
12	Simplex	Peer-to-Peer	Amateur	10.1430	N/A	N/A	10.1430	N/A	N/A	A	Secondary
13	Simplex	Gateway	Amateur	14.0900	N/A	N/A	14.0900	N/A	N/A	A	Lower end of range
14	Simplex	Gateway	Amateur	14.1175	N/A	N/A	14.1175	N/A	N/A	A	Upper end of range

The convention calls for frequency lists to show four digits after the decimal place, followed by either an "N" or a "W", depending on whether the frequency is narrow or wide band. Mode refers to either "A" or "D" indicating analog or digital (e.g. Project 25) or "M" indicating mixed mode. All channels are shown as if programmed in a control station, mobile or portable radio. Repeater and base stations must be programmed with the Rx and Tx reversed.